

## Summary of Changes to LSA Doc. #09-682

- (1) Changed effective date from “30 days after filing with the Publisher” to May 1, 2011.
- (2) 410 IAC 33-1-6 inserted “for issues relating to indoor air quality”
- (3) 410 IAC 33-2-1(a)(4) and (5) deleted “rule” and replaced it with “article”
- (4) 410 IAC 33-2-2(a) deleted “rule” and replaced it with “article”
- (5) 410 IAC 33-2-2(c) deleted “them” and replaced it with “the state inspector”
- (6) 410 IAC 33-4-2(b) added “shall”
- (7) 410 IAC 33-4-3 deleted “within 100 feet of any building containing classrooms and replaced it with “on school grounds”
- (8) 410 IAC 33-4-3 deleted “can” and replaced it with “shall”
- (9) 410 IAC 33-4-4(b) added “providing”
- (10) 410 IAC 33-4-5(a)(2) deleted “keeping ventilation units unobstructed” and replaced it with “Ensuring that all supply and return air pathways in the ventilation system are unobstructed and perform as required”
- (11) 410 IAC 33-3-5(a)(3) deleted “and” and inserted “annually at a minimum”
- (12) 410 IAC 33-3-5(a)(4) inserted “inspecting and”
- (13) 410 IAC 33-4-7(d)(1) deleted “what” and replace it with “which type of”
- (14) 410 IAC 33-4-8(c) deleted “may” and inserted “shall”
- (15) 410 IAC 33-4-9 deleted “this” and replaced it with “maintenance”
- (16) 410 IAC 33-4-10(a) inserted “(1) selecting product and materials with minimal off-gassing”, “(6) increasing housekeeping activities”, “(7) ventilating the areas prior to occupancy to reduce airborne contaminants due to construction activities”

(17) 410 IAC 33-5-2(b) inserted “shall”